SeZ®






Designing The Future, Honoring The Past.

Discover Surfaces With A Distinct Aesthetic And Minimalist Character nestled In The Heart Of India's Ceramic Capital, Morbi, Gujarat, Sez Vitrified Pvt. Ltd.

Stands As A Beacon Of Excellence In The Vitrified Tile Industry. Our Commitment Lies In Providing A Premium Range Of Vitrified Tiles, Boasting Diverse Textures, Designs, Patterns, And Styles Tailored To Suit The Evolving Needs Of Our Esteemed Clientele.

With A Decade long Presence In The Market, Our Brand Has Consistently Strived To Adorn Homes With A Touch Of Joy, Vibrancy, And Energy, Resonating With The Unparalleled Quality, Durability, And Sophistication Of Our Product Range.





Adds depth and dimension to your surfaces.

Elevate your spaces with the Textura Collection where every tile tells a story of elegance, depth, and craftsmanship. Our punch effect tiles are meticulously designed to bring a touch of sophistication and character to any room. Inspired by the art of relief, the Textura Collection offers intricate patterns and striking textures that are not just visually stunning but also create a tactile experience. Whether you're looking to add a bold statement or subtle charm, these tiles deliver unparalleled style and durability.

Whether you're designing a modern minimalist space or adding a touch of elegance to a traditional environment, the Punch Effect Collection offers versatility and style that stands the test of time. Built for durability, these tiles not only offer an aesthetic upgrade but also the resilience to withstand the demands of everyday life.




Add
A Touch Of Luxury
To Your Spaces
With
The Textured Surface,
Featuring
Rich Patterns And

Unmatched Craftsmanship.







Technical Characteristic



FIREPROOF
Fire-resistant products,
that does not emit
smoke or toxic substances.



SCRATCH RESISTANT The hardness of it's surface, makes it scratch, resistant and hard-wearing.



HYGIENIC SURFACE It does not retain organic substances or bacteria, thus preventing its proliferation.



WEAR RESISTANT Resistant to abrasion, and wear, which makes it a durable product.



WATER RESISTANT
Surface with low level of
absorption, Which makes it
resistant to liquids and moisture.



CHEMICAL RESISTANT
Chemicals as detergents,
or solvents do not,
alter its surface.



STAIN RESISTANT Its low porosity makes, it a stain resistant tile, resulting in easier cleanability.



ANTI SLIP Its surface is non-slip, responding to the, international standards in force.










ARIZONA BEIGE DECORA



















ARIZONA BIANCO DECORA









































ARIZONA IVORY WAVE



















ARKETY IVORY DECORA





















ARKETY SAND WAVE


















ARKETY WHITE DECORA

ARKETY WHITE WAVE



















EVEN CREMA DECORA

EVEN CREMA WAVE


















EVEN GREY DECORA




















EVEN WHITE DECORA

EVEN WHITE WAVE


















JUPITER BIANCO DECORA

JUPITER BIANCO WAVE




















JUPITER CREMA DECORA

JUPITER CREMA WAVE




















JUPITER GREY DECORA

JUPITER GREY WAVE



















PACIFIC BEIGE DECORA

PACIFIC BEIGE WAVE


















PACIFIC BIANCO DECORA

PACIFIC BIANCO WAVE



























































PORTLAND SILVER WAVE






















PORTLAND BIANCO WAVE





















PORTLAND SAND WAVE


















PORTLAND TALCE DECORA

PORTLAND TALCE WAVE




















VIOLA CREMA DECORA

VIOLA CREMA WAVE

















VIOLA EARTH DECORA




















VIOLA GREY DECORA

VIOLA GREY WAVE



















VIOLA NERO DECORA

VIOLA NERO WAVE




















VIOLA SILVER DECORA







www.sezvitrified.com



TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla | MEAN VALUE OF SEZ | TEST METHOD | |
|--|---|--|----------------|--|
| Regulatory Properties | | | | |
| Deviation in length and width | ± 0.30 % (±1.00mm) | ± 0.10 % | ISO 10545-2 | |
| Deviation in thickness | ± 5.00 % (±0.50mm) | ± 4.00 % | ISO 10545-2 | |
| Straightness in side | ± 0.30 % (±0.80mm) | ± 0.10 % | ISO 10545-2 | |
| Rectangularity | ± 0.30 % (±1.50mm) | ± 0.10 % | ISO 10545-2 | |
| Surface flatness central curvature | ± 0.40 % (±1.80mm) | ± 0.20 % | ISO 10545-2 | |
| Surface flatness edge curvature | ± 0.40 % (±1.80mm) | ± 0.20 % | ISO 10545-2 | |
| Surface flatness warpage | ± 0.40 % (±1.80mm) | ± 0.10 % | ISO 10545-2 | |
| Surface quality | > 95% defects free | > 95% defects free | ISO 10545-2 | |
| Small Color Difference(For Plain Color) | ΔE <1.00 | ΔE < 0.30 | ISO 10545-16 | |
| Glossiness (Polished) | as per mfg. | Gloss Value > 90 | Glossmeter 60° | |
| Glossiness (Matt) | as per mfg. | 3° < GLOSS < 7° | Glossmeter 60° | |
| Glossiness (satin/Posh) | as per mfg. | 7° < GLOSS < 18° | Glossmeter 60° | |
| Structural Properties | | | | |
| Water absorption | 0.50 % ≤ Ev ≤ 3.00 % | 0.060 % ≤ Ev ≤ 3.00 % | ISO 10545-3 | |
| Bulk density | as per mfg. | > 2.28 gm/cc | ISO 10545-3 | |
| Massive Mechanical Properties | | | | |
| Modulus of rupture | Min. 3O.O N/mm² | Min. 35.0 N/mm² | ISO 10545-4 | |
| Breaking strength thickness ≥7.5 | Min. 700.0 N | Min. 1000.0 N | ISO 10545-4 | |
| Breaking strength thickness ≥7.5 | Min. 1100.0 N | Min. 1300.0 N | ISO 10545-4 | |
| Breaking strength thickness ≥7.5(For ≥15mm) | Min. 1100.0 N | Min. 1800.0 N | ISO 10545-4 | |
| Surface Mechanical Properties | | | | |
| MOH'S hardness | as per mfg. | Polished Min 4* / Satin,Posh & Matt Min 6 | BS EN 15771 | |
| Surface abrasion resistance | as per mfg. | Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4 | ISO 10545-7 | |
| Deep abrasion resistance | Max. 175mm³ | Max. 132mm³ | ISO 10545-6 | |
| Thermal Hydrometric Properties | | | | |
| Moisture expansion | Max. O.O6%(O.6mm/m) | O.O2mm/m | ISO 10545-10 | |
| Thermal expansion(COE) at 100°C | as per mfg. | Max. 6.0 x 10 ⁻⁶ | ISO 10545-8 | |
| Thermal shock resistance | Min. 10 Cycle | Min. 10 Cycle | ISO 10545-9 | |
| Impact resistance(COR) | Min. O.55 | Min. O.55 | ISO 10545-5 | |
| Frost resistance | as per mfg. | Frost Proof | ISO 10545-12 | |
| Chemical Properties | | | | |
| Resistance to staining glazed | Min. Class 3 | Min. Class 4 | ISO 10545-14 | |
| Resistance to household chemicals $\boldsymbol{\epsilon}$ swimming pool salts glazed | Min. Class GB | Min. Class GA | ISO 10545-13 | |
| Resistance to low concentrate acid and alkalis glazed | as per mfg. | Min. Class GLA** | ISO 10545-13 | |
| Resistance to high concentrate acid and alkalis unglazed | as per mfg. | Min. Class GHB** | ISO 10545-13 | |
| Safety Properties | | | | |
| Skid resistance (COF-WET PENDULAM)## | as per mfg. | Glossy PO(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34) | BS 7976-2 | |
| Slip resistance - (Satin / Matt (DCOF) (R value)## | as per mfg. | R9 to R13** | DIN 5113O | |
| Fire resistance | as per mfg. | Fire Proof | N.A. | |

PACKING DETAILS

| PRODUCT | SIZE | THICKNESS | TILES / BOX | COVERAGE AREA / BOX | WEIGHT |
|----------|----------------|-----------|-------------|---------------------|-------------------|
| GVT-PGVT | 600x 1200mm | 9mm | 2 pcs. | 1.44 sq. mtr. | 27 KG (APPROX) |





SEZ VITRIFIED PVT. LTD

Opp. Somnath Petrol Pump, Pipli - Bela Road, At.Bela, Morbi - 363642 (Gujarat) INDIA

export@sezvitrified.com | sezvitrified@gmail.com

www.sezvitrified.com

